G. R. S. 59] GPB—15,000—20-12-13

GENERAL AND REVENUE SECRETARIAT.

1900-01
~~191~~.
(Miscellaneous)

File No. 115

Serial Nos.

Papers Filed.

*Month*_____

SUBJECT.

Passing orders in re the
to the Compound wall & the Mantapa
of the Sri Agastheswara Swami Temple
T. Narsipur Tq

PREVIOUS REFERENCES.	LATER REFERENCES.

(General Serial No. 30.)

~~189~~ 1900 - 01.

From The Deputy Commissioner, Mysore District

To The Secretary, to the Govt. of Mysore, Muzarai Department

Dated 14th September

Despatched 15th

Received

General No. 55 } 1900-1901.
No.

Enclosures No. Three





Submitting an Estimate for Rs 969/- for the repairs needed to the compound wall of the Agastheswara swamy temple at Shivanasamudra and to the Mantapam opposite to the temple.

P 55-5/5

Deputy Commissioner's Office
Mysore District

Mysore, 14th September 1900.

From

The Deputy Commissioner
Mysore District

To,

The Secretary, to the Govt. of
Mysore, Muzarai Dept.

—

Sir,

With reference to your official memo No. 294 of the 31st August 1900, I have the honor to submit herewith an estimate for Rs. 969 for the repairs needed to the compound wall of the Agastheswara Swamy temple at Thirumakudlu and to the Mantapam opposite to the temple.

The Amildar reports that these repairs are urgently needed for the preservation of the Mantap and the compound wall, and his Ettilé No. 71 dated the 24th August 1900 is herewith forwarded for reference.

To meet the cost however, there are no funds at the credit of the temple. There is, as shewn in the enclosed certificate of the Treasury Officer, only a sum of Rupees 65—15-0 at the credit of the temple, but an estimate for Rs. 65—2-0 for repairing the Dhwajasthambha of the temple has already been sanctioned in Government Proceedings No. 124-5/65-92 dated 27th July 1900.

I have the honor to be
Sir,
Your most obed't servant

[illegible]
For Dy. Commissioner
Mysore Dist.

MUZRAI

189

From

To

The Dy Commr,
Tanjore Dt.

Dated 19th Sept. 1900

Despatched 20th

Received 25

General No. 395

Muzrai F. No. 65-92

Enclosure No. Three

His Letter No. 55 dated 14th Sept. 1900 submitting for sanction an estimate amounting to Rs 969 for ~~repairing~~ the repairs of the compound wall of the Sri Agastheeswaraswamy Temple at Tirumakudal and of the mandapam opposite to the temple

---

With refce to the above, has the honor to enquire if the devotees of the temple are willing to contribute at least

a moiety of the esti-
mated cost of the
repairs.

2. The enclosures are
herewith returned for
perfection and re-submission.

R. O

Inclosures

(8)

that in view of the great importance of the temple, the repairs may be sanctioned from the Nazrai surplus funds of the District.

12/5/01

Rec'd 18/5/01 652

Request the Dy Com. would call the Divl Officer to inspect the place check the estimate in consultation with an Officer of D&W remind the estimate with a certificate of the receipt of the work as well as the correctness of the estimate

S. V. D.

~~1899~~ 1900-1901.

OFFICE OF THE DEWAN OF MYSORE
RECEIVED
Date
REG. No. 330
MUZRAI BRANCH

From The Dy Commissioner Mysore Dist

To The Secretary to the Govt of Mysore Muzrai Dept

Dated 16th November 1900

Despatched 16th

Received

General No. 83

No.

Enclosure No. 4.

Reporting that no Contributions can be expected towards the cost of repairing the Sri Agastheswara Swamy temple at Tirumakudlu, T. Narsipur Taluk.

Refer
a1
19/11/00

Forwarded
a1

Submitted to Dewan

The estimate (Rs 964) is costly and the temple has no funds.

The Dakaara Member may be informed that nothing can be done under these circumstances VR 7/5/01

On further consideration, I think

Muzrai Department
Mysore District
Dated 16th November
1900

No 83
En 4.

To

The Secretary to the
T of Mysore
i Dept.

Sir

In reference to
your docket No 395 dated
65-92
19th September last, Enquiring
whether the devotees of the Sri
Agastheswara Swamy Temple
at Tirumakudlu, T. Narsipur
Taluk are willing to Contribute

a moiety of the Estimated Cost
of repairs to the Temple, I
have the honor to State that
Trimulgherry where the Temple
is Situated is a Small village
inhabited mostly by the Servants
of the Temple and no Contributions
have Can therefore be expected
from them.

2. The Estimate and its
accompaniments received with
the docket under reply are here-
with resubmitted.

I have the honor to be
Sir
Your most obedient
Servant.

(By Countersignature)
for the Commissioner
Clytone Dodwell

MUZRAI

~~189~~ 1901.

From

To

The Deputy Commissioner
Mysore District

Dated 7th June 1901

Despatched

Received Camp Mysore

General No. 1273

Muzrai F. No. 65-92

Enclosure No. 4-

His letter No. 83 dated 16th November 1900 regarding the repairs to the Sri Agastheswaraswami temple at Trinmakudlu. T. Narasipur Taluk.

In returning the Estimates and other enclosures received with the above, has the honor to request the Deputy Commissioner to ask the Sub Division Officer in Charge of the

T. Narasipur Taluk
to inspect the place, &
check the Estimate in
Consultation with an
Officer of the Public Works
Department and to
re-submit it
to this Office with a certificate
of the necessity of the work
as well as the correctness
of the Estimate in question.

By order

Dewan's order)

6/6/14

Deputy Secy

Rs

~~1899~~ 1901 1902



From

The Dy Commr

To

Mysore Dist

The Dy Secretary

to the Govt of

Mysore

Dated 19 July

Despatched 20

Received 22

Mzhai Deptt

General No. 18

No.

Enclosure No. 1 + 1 file.

22/7/07

Refers

Ks

Submitted for orders

Ks

23/7/07

Reserve for personal inspection

EH

7/1/02

If is elected No 1273 of the 7th June 65-02 1901.

I am returning the accompanying Estimate for Rs 9471/- for the repair of the Dist Government Treasury building, Mysore with the request to return that the same may

The Sub Division Officer in charge of the
Harrison Taluk inspected the temple
on the 27th of last month, and has
checked the Estimate in Consultation
with Mr Sreenivasa the Dyer Supervisor
in charge of that Taluk.

The Special Sub Division Officer
Certifies that the work proposed is
necessary and that the Estimate is correct.

The file of papers Enclosing with
the Special Sub Division Officer's Pro.
dei No 24 of the 8th July 1901 is herewith
forwarded for perusal and return
when no longer required.

I have the honour to be
Sir
Your most obedient
Humble Servant.

(An Inspection No (MUZRAI)

No 19. 1902 – 1903

From

The DEPUTY SECRETARY,
GOVERNMENT OF MYSORE,
MUZRAI DEPARTMENT.

To

The Dy Comr
Mysore Dt

Dated
Despatched } 20 June '03.
Received

General No. 2468.
Muzrai F. No. 65-92

Enclosure No. 1 & 16 Encl

I have no. 18 dated 19th July 1901 regd. inviting an estimate for Rs 947 for repairing & stone mantap on side the Sri Ayas theswara swami temple at D. Narsipur.

I have the honor to state that when the Dy Secretary to

MGCPB—2,000—7-6-02

Sir C. Murrai Depth
visited the temple
on the 11th April last,
he found on inspection
that the repair of
the Mantap was not
a matter of urgent
necessity. ~~And in the~~ The work therefore
~~absence of funds~~
need not be under
taken at present, as there are no
Immediate
accordingly be burned
herewith unsanctioned

By order

Dec 1/6/13

Dy Secretary
Murrai Depth

Ex
3rd/5/13

Mysore Division